

## CERTIFICATE OF ANALYSIS

Report issued to	NEOLPHARMA Grupo Farmaceutico	Report No.	CMC/LAB/NPA216/2025
Sample Name	ANAVAR 20 (Oxandrolone)	ULR No.	NA
Manufacturer	NEOLPHARMA Grupo Farmaceutico (Mexico)	Reporting Date	12-08-2025
Active Ingredient	Oxandrolone	Sample Sumbitted By	Ing. Ricardo Alvarez Mendez, QA Manager (NEOLPHARMA)
Package	Bottle of 50 tablets	Exp. Date	12-2028
Batch / Lot No.	NPA216	Sample Qty.	50 tablets
Received Date	10-08-2025	Mfg. Lic. No.	COFEFRIS 153300201X0092
Sample Condition	Received in sealed intact condition	Ref. No.	NIL
Storage Condition	Store below 30C away from direct sunlight	Country of Origin	Mexico

Reference to Protocol / Method	USP 2024 . CMC-LAB/SOP/NPTE23	Analysis Started on:	10-08-2025
Analysis Completed on:	12-08-2025	Review / Release Date:	13-08-2025

## RESULT OF ANALYSIS

S.No	Test Parameter	Claim	Units	Results	Specifications	Test Method
1	Description	-	-	Complies	White to off-white, round, biconvex, scored tablets, free from visible defects	Visual Evaluation.
2	Average Weight	150	mg	151.4	142.5 - 157.5	USP <2091>
3	Identification	-	-	Complies	Positive for Oxandrolone	HPLC
4	Assay of Oxandrolone	20	mg/tab	19.7	18.00 - 22.00 mg/tab	HPLC
5	Uniformity of Dosage Units	-	-	Complies	AV <= 15.0	USP <905>
6	Dissolution	-	% / 30 min	96	Not less than 80 %	USP <711>

The sample submitted by NEOLPHARMA Grupo Farmaceutico **COMPLIES** with the declared specifications and is of standard pharmaceutical quality with respect to the parameters tested.

USP = United States Pharmacopeia . HPLC = High Performance Liquid Chromatography . KF = Karl Fischer . NMT = Not More Than  
EU = Endotoxin Units . AV = Acceptance Value . COFEPRIS = Comision Federal para la Proteccion contra Riesgos Sanitarios

*Laura A. Rios*  
QP.B. Laura A. Martinez Rios  
Chief Analyst, Costamed Laboratory



*Arturo Gonzalez Pena*  
Dr. Arturo Gonzalez Pena  
Technical Director, Costamed Laboratory

**\*\* End of Report \*\***

### Terms and Conditions

1. This report is issued by Costamed Grupo Medico and refers only to the sample tested.
2. Sample will be destroyed one year from the date of issue unless otherwise specified.
3. Total liability of the laboratory is limited to the invoiced amount.
4. All disputes subject to Cozumel, Quintana Roo Jurisdiction, Mexico.