

CERTIFICATE OF ANALYSIS

Report issued to	NEOLPHARMA Grupo Farmaceutico	Report No.	CMC/LAB/NPNEO4/2026
Sample Name	NeolPharma NEOLMIX 250 MG/ML – 4 Testosterone Ester Blend	ULR No.	NA
Manufacturer	NEOLPHARMA Grupo Farmaceutico (Mexico)	Reporting Date	20-01-2026
Active Ingredient	4 Testosterone Ester Blend (Testosterone Enanthate, Testosterone Cypionate, Testosterone Propionate, Testosterone Decanoate)	Sample Submitted By	Ing. Ricardo Alvarez Mendez, QA Manager (NEOLPHARMA)
Package	10 ml vial	Exp. Date	01/2029
Batch / Lot No.	NPNEO4	Sample Qty.	1 vial
Received Date	16-01-2026	Mfg. Lic. No.	COFEPRIS 153300201X0092
Sample Condition	Received in sealed intact condition	Ref. No.	NIL
Storage Condition	Store below 30C away from direct sunlight	Country of Origin	Mexico

Reference to Protocol / Method	USP 2024 · CMC-LAB/SOP/NPNEO4	Analysis Started on:	17-01-2026
Analysis Completed on:	19-01-2026	Review / Release Date:	20-01-2026

RESULT OF ANALYSIS


S.No	Test Parameter	Claim	Units	Results	Specifications	Test Method
1	Description	-	-	Complies	Clear pale yellow oily solution, practically free from visible particulates	Visual Evaluation.
2	Nominal Concentration	250	mg/ml	250.8	237.5 mg to 262.5 mg/ml	HPLC
3	Identification (HPLC)	-	-	Complies	Positive for Testosterone Esters	HPLC
4	Assay of Testosterone Enanthate	-	%	26.2	20.0% - 30.0% of total blend	HPLC
5	Assay of Testosterone Cypionate	-	%	26.1	20.0% - 30.0% of total blend	HPLC
6	Assay of Testosterone Propionate	-	%	24.8	15.0% - 25.0% of total blend	HPLC
7	Assay of Testosterone Decanoate	-	%	22.9	15.0% - 25.0% of total blend	HPLC
8	Sterility	-	-	Complies	No evidence of microbial growth	USP <71>
9	Bacterial Endotoxin	-	EU/ml	< 0.25	NMT 1.0 EU/ml	USP <85>

*The sample submitted by NEOLPHARMA Grupo Farmaceutico **COMPLIES** with the declared specifications and is of standard pharmaceutical quality with respect to the parameters tested.*

USP = United States Pharmacopeia · HPLC = High Performance Liquid Chromatography · KF = Karl Fischer ·

NMT = Not More Than · EU = Endotoxin Units · AV = Acceptance Value ·

COFEPRIS = Comision Federal para la Proteccion contra Riesgos Sanitarios



QFB. Laura A. Martinez Rios
Chief Analyst, Costamed Laboratory



Dr. Arturo Gonzalez Pena
Technical Director, Costamed Laboratory

**** End of Report ****

Page 1 of 30

Terms and Conditions

- This report is issued by Costamed Grupo Medico and refers only to the sample tested.
- Sample will be destroyed one year from the date of issue unless otherwise specified.
- Total liability of the laboratory is limited to the invoiced amount.
- All disputes subject to Cozumel, Quintana Roo jurisdiction, Mexico.